

Teks Self Drilling Steel Screws



The original self-drilling, self-tapping screw for fastening various materials to steel


Teks Screws drill, tap and fasten in-one operation.

Product Advantages

- No hole alignment issues
- High clamping action
- Eliminates the need for costly drill bits
- The integral washer on Maxiseal prevents water ingress and reduces bimetallic corrosion
- High Thread on MXHT supports the outer sheet of composite panels - Maxiseal
- Maximum pullover performance
- Excellent driving stability
- Point to thread design maximises pullout performance
- Non walking point provides fast material engagement
- Seals when driven at an angle - Maxiseal 1 - 2°
- Sharp convex drill point has precise cutting edges to improve drill performance with less effort
- Climaseal finish provides excellent corrosion resistance and lower tapping torque

Applications

- Brick ties
- Bracketry to steel
- Flashing
- Composite panels
- Wind posts



Teks Self Drilling Steel Screws

Product Range - Teks Screws for General Components to Steel



Eurocode	Code	Steel Thickness	Effective Thread Length	Diameter	Length	Head Style	Box Qty
921185	PH14	0.9 - 3.0mm	4mm	4.8mm	14mm	Pan head	200
920026	TC13	0.9 - 3.0mm	4mm	4.8mm	13mm	5 / 6" AF HEX	500
920027	TC16	0.9 - 3.0mm	6mm	4.8mm	16mm	5 / 6" AF HEX	500
920028	TC25	1.2 - 5.0mm	8mm	5.5mm	25mm	5 / 6" AF HEX	500
920126	TC50	1.2 - 5.0mm	42mm	5.5mm	50mm	5 / 6" AF HEX	100
920127	TC62	1.2 - 5.0mm	51mm	5.5mm	62mm	5 / 6" AF HEX	200
921199	TC75	1.2 - 5.0mm	65mm	5.5mm	75mm	5 / 6" AF HEX	100
920125	TC100	1.2 - 5.0mm	90mm	5.5mm	100mm	5 / 6" AF HEX	50
921202	TL32	4.0 - 12.5mm	12mm	5.5mm	32mm	5 / 6" AF HEX	200
921203	TL38	4.0 - 12.5mm	18mm	5.5mm	38mm	5 / 6" AF HEX	200
920128	TL50	4.0 - 12.5mm	30mm	5.5mm	50mm	5 / 6" AF HEX	200
921205	TS20	0.5 - 1.2mm	5mm	4.8mm	20mm	5 / 6" AF HEX	200

Product Range - Teks Screws - Grade A2-304 Austenitic Stainless Steel Self Drilling Screws

Eurocode	Code	Steel Thickness	Effective Thread Length	Diameter	Length	Head Style	Box Qty
921289	SC28	0.9 - 3.0mm	9mm	5.5mm	28mm	5 / 6" AF HEX	500
921291	SL45	4.0 - 12.5mm	18mm	5.5mm	45mm	5 / 6" AF HEX	200

Product Range - Teks Screws - For Standing Seam and Clip Fixing Systems



Eurocode	Code	Steel Thickness	Drive Type	Diameter	Length	Head Style	Box Qty
921259	CFC16	0.9 - 3.0mm	P2	4.8mm	16mm	Low Profile	200
921165	CFC24	0.9 - 3.0mm	P2	4.8mm	25mm	Pancake	250
921166	CFC26	1.2 - 5.0mm	2PSD	5.5mm	32mm	Pancake	250
921260	CFL32	4.0 - 12.5mm	P3	5.5mm	25mm	Low Profile	500
921167	CFW26	23mm timber emb.	P2	4.8mm	25mm	Pancake	250

Teks Self Drilling Steel Screws

Product Range - Maxiseal Composite Panel Screw



Eurocode	Code	Steel Thickness	Build-up Range	Diameter	Length	Box Qty
921182	MXHT60	1.2 - 5.0mm	25 - 42	5.5mm	60mm	200
921551	MXHT80	1.2 - 5.0mm	45 - 62	5.5mm	80mm	200
920236	MXHT100	1.2 - 5.0mm	45 - 62	5.5mm	80mm	200

Product Range - Maxiseal Stitching Screw



Eurocode	Code	Steel Thickness	Diameter	Length	Box Qty
921262	MXS16	2 x 0.7 - 2 x 1.2mm	4.8mm	16mm	500
921277	MXS25	2 x 0.5 - 2 x 0.9mm	6.0mm	25mm	100

Product Range - Maxiseal for Cladding Applications



Eurocode	Code	Heavy Gauge	Effective Thread length	Diameter	Length	Box Qty
921183	MXL38	4.0 - 12.5mm	16mm	5.5mm	38mm	200

Product Range - Maxiseal for Cladding Applications



Eurocode	Code	Light Gauge	Effective Thread length	Diameter	Length	Box Qty
920023	MXC26	1.2 - 5.0mm	15mm	5.5mm	26mm	250
920024	MXC32	1.2 - 5.0mm	15mm	5.5mm	32mm	250

Product Range - Teks Screws - Washers and Tonex Colour Caps



Eurocode	Code	Description	Box Qty
921286	16SS	16mm Ø Stainless Steel Washer	100
921287	19SS	19mm Ø Stainless Steel Washer	100
921285	BX1 - 10A05	Goosewing grey colour cap for 5 / 16" Hex. Teks	1,000